



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 1/(13)

Section 1 Identification of the mixture and of the company/undertaking

1.1 Product identifier:

MOL Aluroll 2EPG metallurgical lubricating grease

1.2 Relevant identified uses of the mixture and uses advised against

Relevant identified uses: metallurgical lubricating grease

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15²⁰ h (CET)): +36 34 526 210

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 1 476 6464, or +36 80 201 199

National Health Toxicological Information Service:



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 2/(13)

Section 2 Hazards identification

2.1 Classification of the mixture

Hazard Class and Category: Hazard statement:
Not classified.

2.2 Label elements ((EC) No 1272/2008)

Product identification:

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Hazardous component(s): -

Pictogram: not required

Signal word: not required

Hazard statement:

not required

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements – Prevention:

P273 Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 3/(13)

Section 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mineral oil based consistent lubricant containing complex aluminium soap, additives and graphite.

Component / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Lubricating oils (petroleum), C ₂₅ * REACH Registr. Nr.: 01-2119486948-13	309-874-0	101316-69-2	- (Note L)	-	max. 95
Lubricating oils (petroleum), C ₂₄ - C ₅₀ * REACH Registr. Nr.: 01-2119489969-06	309-877-7	101316-72-7	Asp.Tox.1 (Note L)	H304	max. 20
Long-chain alkenyl amine		confidential	Acute Tox. 4 Skin Corr. 1B Eye Dam. 1 STOT SE 3 STOT RE 2 Aquatic Acute 1	H302 H314 H318 H335 H373 H400	max. 0.3
Zinc alkyl dithiophosphate	272-028-3	68649-42-3	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 0.25
Alkyl phosphonate		confidential	Skin Irrit. 2 Eye Irrit. 2 Aquatic Chronic 2	H315 H319 H411	max. 0.15

*: with exposure limit

The full text of each relevant H- phrase, Hazard classes and cat. see in Section 16.

Section 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. Seek medical attention.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 4/(13)

Skin Remove contaminated clothing. Wash with plenty amount of water, using contact: soap. In case of persistent irritation, get medical advice.
Eye contact: Flush eyes with large amounts of water for at least 15 minutes. Get medical attention.
Ingestion: If swallowed, give drink salted lukewarm water. Induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed
No data.

4.3 Indication of any immediate medical attention and special treatment need
Not required.

Section 5 Fire-fighting measures

Fire hazards:
Combustible

5.1 Extinguishing media
Suitable extinguishing media:
Foam, carbon dioxide, dry chemical powder.
Unsuitable extinguishing media:
Water jet.

5.2 Special hazards arising from the mixture
Hazardous combustion products:
On burning, carbon monoxide, carbon dioxide, sulphur oxides, nitrogen oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters
Special protective equipment:
According to the existing fire-fighting regulations.
Further information:
-



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 5/(13)

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: Take up spilled product with shovel or scoop. Residuals should be cleaned up with cloths and/or sawdust. Dispose of the collected material as hazardous waste, according to local regulations.

On water: Confine the spillage. Remove from surface by skimming. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

Section 7 Handling and storage

7.1 Precautions for safe handling

General measures for handling lubricant greases should be observed.

Avoid splashing the product.

Avoid contact with skin and eyes.

Ensure washing facilities after working hours and before breaks.

Take off contaminated or oil-soaked clothing immediately, wash with warm water and soap.

After splashing floor may be slippery, use care to avoid falling, contain spills immediately.

When using do not eat, drink or smoke.

Handling temperature: not available



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 6/(13)

7.2 Conditions for safe storage, including any incompatibilities

Store in dry, well ventilated place in original, tightly closed containers.
Keep away from direct heat, ignition sources and strong oxidizing agents.
Recommended storage temperature: max. 45°C

7.3 Specific end use(s)

Metallurgical lubricating grease.

Section 8 Exposure controls / personal protection

Engineering control measures:
Not required.

8.1 Control parameters: -

8.2 Exposure controls

Personal protection:

Respiratory protection: Breathing apparatus not required.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection: Protective goggles not required.

Skin protection: Protective clothing (oil resistant).

Other special: no data

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state:	consistent
Colour:	black, homogenous
Odour:	characteristic



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 7/(13)

Change in physical state:

During long-time storage, oil separation may occurs on the surface.

Dropping point (ISO 2176):

typ. 240°C

Pour point (ISO 3016):

not available

Others:

Flash point (COC) (EN ISO 2592):

> 200°C (base oil)

Ignition point (EN ISO 2592):

not available

Autoignition temperature:

not available

Explosive properties:

not explosive

Oxidizing properties:

not oxidize

Vapour pressure at 20°C:

negligible

Density at 20°C:

not available

Solubility in water:

practically insoluble in water

Penetration after working – 60 c, at 25°C

typ. 280

(0,1 mm) (ISO 2137):

n-Octanol/water partition coefficient:

not available

pH:

not applicable

9.2 Other information

no data available

Section 10 Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition products: No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 8/(13)

Section 11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Oral:	LD ₅₀ (rat)	> 2000	mg/kg	(based on components)
Dermal:	LD ₅₀ (rabbit)	> 2000	mg/kg	(based on components)

Acute toxicity: irritation

Skin:	not irritant (based on components)
Eye:	not irritant (based on components)
Note:	Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Germ cell mutagenicity:	not known, resp. not mutagen (based on components)
Carcinogenicity:	not known, resp. not carcinogen (based on components)
Reproductive toxicity:	not known, resp. no reproduction-damaging effect (based on components)
STOT-single exposure:	not known
STOT-repeated exposure:	not known
Aspiration hazard:	not known

Section 12 Ecological information

12.1 Toxicity No data available.

Aquatic organisms:
Soil organisms:
Plants:

12.2 Persistence and degradability No data available.

Biodegradability: No data available.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 9/(13)

12.3	Bioaccumulative potential	No data available.
12.4	Mobility	
	Mobility in soil:	Soil is not mobile.
	Mobility in water:	Floats on water. Does not form continuous layer.
12.5	Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances.
12.6	Other adverse effects	
	Heavy metal content:	None.
	PCT, PCB and other chlorinated hydrocarbons:	None.
	Environmental effects:	Large spillages may be hazardous to the environment.
	Water hazard class (German):	WGK 1 (Classification by VwVwS)

Section 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 12 01 12*

Spent waxes and fats.

Disposal must be in compliance with national and local regulations.

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 10/(13)

Section 14 Transport information

Land transport:

Road/ Railway

ADR/RID:

Not classified.

- | | | |
|-------|-------------------------------|---|
| 14.1. | UN number: | - |
| 14.2. | UN proper shipping name: | - |
| 14.3. | Transport hazard class(es): | - |
| 14.4. | Packing group: | - |
| 14.5. | Environmental hazards: | - |
| 14.6. | Special precautions for user: | - |

Waterways:

Inland waterways/ Sea transport ADN/IMDG:

Not apply to the product.

Air transport: ICAO / IATA:

Not apply to the product.

Section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

This safety data sheet has been prepared according to Regulation 1907/2006/EC (mod. 2015/830/EU) and 1272/2008/EC.

15.2 Chemical safety assessment.
not available

Section 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 11/(13)

Source of data presented in this material safety data sheet:

Test results of this product
Material safety data sheets of product's components
Hungarian and EU lists of dangerous substances
Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)

Not classified.

The full text of each relevant Hazard classes and cat., R- and H- phrase in Section 3.:

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
Acute Tox. 4	Acute toxicity Category 4
Asp.Tox.1	Aspiration hazard Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3
STOT RE 2	Specific target organ toxicity – repeated exposure Category 2
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 12/(13)

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec _x	Effective Concentration x%
Ed _x	Effective Dose x%
ELINCS	European List of Notified Chemical Substances
ErC ₅₀	EC ₅₀ in terms of reduction of growth rate;
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC _x	Lethal Concentration x%
LD _x	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Aluroll 2EPG metallurgical lubricating grease**

Version: 3 Latest revision: 19. 10. 2015 Date of issue: 20. 06. 2007 Page: 13/(13)

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
3 1-16	Composition/information on ingredients Revision modification according to 453/2010/EC and 1272/2008/EC	01.07.2012	2
1 3 9 1-16	Details of the supplier of the safety data sheet, Responsible for SDS Composition/information on ingredients Physical and chemical properties Other corrections, revision modification according to 2015/830 /EU	19.10.2015	3