



Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30. 06. 2022 Date of issue: 10. 07. 2017 Page: 1/(13)

### SECTION 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

# MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: synthetic 2-stroke motor oil Uses advised against: application other than the above.

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

**Customer Service Center** 

H-2931 Almásfüzitő, Fő út 21., Hungary Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL LUB Kft. Tel: +36 80 201 296

E-mail: EBKHelpdesk@MOL.hu

1.4 Emergency telephone number

Emergency telephone (07-15<sup>20</sup> h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

#### **SECTION 2** Hazards identification

2.1 Classification of the substance or mixture

Hazard Class and Category: Hazard statement:

Not classified.





Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30. 06. 2022 Date of issue: 10. 07. 2017 Page: 2/(13)

#### 2.2 Label elements

Product identification: Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke

motor oil

Hazardous components: -

GHS Pictogram: not required signal word: not required

Hazard statement: **not required** 

Supplemental hazard information: -

Precautionary statements - General: -

Precautionary statements – Prevention:

**P273** Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

#### 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.





Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30. 06. 2022 Date of issue: 10. 07. 2017 Page: 3/(13)

# **SECTION 3** Composition/information on ingredients

#### 3.2 Mixtures

Chemical description: Mixture of synthetic oil and refined mineral base oils containing

presolvent, colorific and other additives.

Component(s) / Hazardous component(s):

Name	EC	CAS	Hazard classes and	Hazard	Conc.
	number	number	cat.	statements	%(m/m)
Distillates (petroleum),	265-157-1	64742-54-7	-	-	max.45
hydrotreated heavy			(Note L)		
paraffinic					
REACH Registr. Nr:					
01-2119484627-25					
Polybutene (isobutylene	500-004-7	9003-29-6	-	-	max.35
and butene copolymer)					
REACH Registr. Nr: 01-2119400553-52					
Polyizobutylene	polymer	9003-27-4			max.35
REACH Registr. Nr.:	polymer	9003-21-4	-	-	max.33
no data					
Hydrocarbons, C10-	918-481-9	-	Asp. Tox. 1	H304	max.18
C13, n-alkanes,			(Note J)		
isoalkanes, cyclics, <2%			, ,		
aromatics					
REACH Registr. Nr.:					
01-2119457273-39					
1-Decene Homopolymer	500-183-1	68037-01-4	Asp. Tox. 1	H304	max. 5.0
Hydrogenated			(Note L)		
REACH Registr. Nr.:					
01-2119486452-34					

<sup>\*:</sup> with exposure limit

#### Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30. 06. 2022 Date of issue: 10. 07. 2017 Page: 4/(13)

#### Note J:

The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes.

The full text of each relevant H-phrase and Hazard classes and cat. see in Section 16.

#### **SECTION 4** First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain

medical attention.

Skin Remove contaminated clothing. Wash skin with large amounts of water, use

contact: soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent

irritation, get medical attention.

Ingestion: If swallowed, give water. Do not induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed Not required.

### **SECTION 5** Fire-fighting measures

Fire hazards:

Combustible.

5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Full water jet.





Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30. 06. 2022 Date of issue: 10. 07. 2017 Page: 5/(13)

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations.

Further information:

Collect contaminated fire-fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

#### SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.
- 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be removed. Recover free liquid by

pumping. Contain spilled liquid with sand, earth or other suitable absorbents.

Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable

absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

#### **SECTION 7** Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable materials.

Keep away from radiant heat and open flame.





Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30. 06. 2022 Date of issue: 10. 07. 2017 Page: 6/(13)

Sufficient ventilation should be provided.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks.

Take off contaminated clothing and wash it before reuse.

Handling temperature:

7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C

7.3 Specific end use(s)

Synthetic 2-stroke motor oil.

# **SECTION 8** Exposure controls / personal protection

8.1 Control parameters:

Mineral oil mist: TWA: 5 mg/m<sup>3</sup>; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded

(ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Engineering control measures:

Not required.

Personal protection:

(a) Eye/face protection Protective goggles not required.

(b) Skin protection

(i) Hand protection Oil resistant gloves (EN 374, Breakthrough time > 480 min,

PK power level: 6; PR flow rate: 0).

Note: Manufacturer's directions for use and the conditions of

application should be observed.

(ii) Other Protective clothing (oil resistant).

(c) Respiratory protection Breathing apparatus not required.

(d) Thermal hazards No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.





Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30. 06. 2022 Date of issue: 10. 07. 2017 Page: 7/(13)

### **SECTION 9** Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Physical state: liquid

b) Colour: dark blue, clearc) Odour: characteristic

d) Melting point/freezing point (Pour point) (ISO 3016): typ. -48°C

e) Boiling point or initial boiling point and boiling range

(DIN 51356): not available f) Flammability: combustible

g) Lower and upper explosion limit: not explosive h) Flash point (COC) (EN ISO 2592): typ. 110°C

i) Auto-ignition temperature: not available
 j) Decomposition temperature: not available
 k) pH: not applicable

l) Kinematic viscosity (EN ISO 3104)

at 40°C: typ. 47.6 mm<sup>2</sup>/s at 100°C: typ. 8.2 mm<sup>2</sup>/s

m) Solubility

Solubility in water: practically insoluble in water Solubility in other solvents: gasoline, kerosene, toluene, etc.

n) Partition coefficient n-octanol/water (log value): not available o) Vapour pressure at 20°C: negligible

p) Density and/or relative density at 15°C (EN ISO

12185):  $typ. 0.840-0.860 g/cm^3$ 

q) Relative vapour density: not availabler) Particle characteristics: not available

9.2 Other information

Oxidizing properties: not oxidize
Heating value: inf. 38 000 kJ/kg

## **SECTION 10** Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous

reactions: Not known



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30, 06, 2022 Date of issue: 10.07.2017 Page: 8/(13)

10.4 Conditions to avoid: Direct heat or ignition sources.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition No dangerous decomposition products are formed under normal

products: conditions. Hazardous combustion products: See Section 5.

### **SECTION 11** Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity: Based on available data, the classification criteria are not met

### Components:

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7)

> 2000 mg/kgOral: LD<sub>50</sub> (rat) **OECD 401** Dermal: LD<sub>50</sub> (rabbit) > 2000 mg/kg**OECD 402** Inhalation:  $LC_{50}$  (rat)  $> 5000 \text{ mg/m}^3$ **OECD 403** 

Polybutene (isobutylene and butene copolymer) (CAS: 9003-29-6)

> 34600 mg/kgOral: LD<sub>50</sub> (rat) Dermal: LD<sub>50</sub> (rabbit) > 10250 mg/kg

1-Decene Homopolymer Hydrogenated (CAS: 68037-01-4)

Oral:  $LD_{50}$  (rat) > 5000 mg/kgDermal: LD<sub>50</sub> (rabbit) > 2000 mg/kg

> 5.2 mg/LInhalation: LC<sub>50</sub> (rat) (dust, fog)

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (EK: 918-481-9)

Oral: LD<sub>50</sub> (rat) > 5000 mg/kgDermal: LD<sub>50</sub> (rabbit) > 2000 mg/kgInhalation: > 5.2 mg/lLD<sub>50</sub> (rat)

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity: Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30. 06. 2022 Date of issue: 10. 07. 2017 Page: 9/(13)

11.2 Information on other hazards

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

### **SECTION 12** Ecological information

12.1 Toxicity No data available for the product.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7):

Fish: >1000 mg/L 96 h (OECD 203)
Daphnia: >100 mg/L 48 h (OECD 202)
Algae: >100 mg/L 72 h (OECD 201)

*Polybutene* (isobutylene and butene copolymer) (CAS: 9003-29-6)

Daphnia:  $EC_{50}$  >1000 mg/l 48 h Fish:  $LC_{50}$  >1000 mg/l 96 h

1-Decene Homopolymer Hydrogenated (CAS: 68037-01-4):

Fish (Oncorhynchus mykiss): >1000 mg/L $LC_{50}$ (4 h)Daphnia (Daphnia magna):  $EC_{50}$ >1000 mg/L(48 h)Daphnia (Daphnia magna): >125 mg/L  $EC_{50}$ (21 days) Daphnia (Daphnia magna): **NOEC** 125 mg/L (21 days) Algae (Scenedesmus quadricauda):  $LC_{50}$ >1000 mg/L(3 h)Algae (Scenedesmus quadricauda): **NOEC** >1000 mg/L(3 h)

*Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics (EK: 918-481-9)* 

 $\begin{array}{ccccc} Fish: & LC_{50} & 1\text{-}10 \text{ mg/l} \\ Daphnia: & EC_{50} & 1\text{-}10 \text{ mg/l} \\ Algae: & EC_{50} & 1\text{-}10 \text{ mg/l} \end{array}$ 

12.2 Persistence and degradability No data available for the product.

Biodegradability: Hydrocarbons are inherently degradable.

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%

*aromatics (EK: 918-481-9)* 80 % (28 days)

12.3 Bioaccumulative potential No data available for the product.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30.06.2022 Date of issue: 10.07.2017 Page: 10/(13)

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%

aromatics (EK: 918-481-9) Log Kow: >4

12.4 Mobility in soil:

Mobility in water:

Absorbs in soil.

Floats on water.

12.5 Results of PBT and vPvB Does not contain PBT and vPvB substances, at a

assessment concentration of 0.1% or more.

12.6 Endocrine disrupting properties The mixture does not contain any substance with endocrine

disrupting properties, at a concentration of 0.1% or more.

12.7 Other adverse effects

Heavy metal content: None. PCT, PCB and other chlorinated None.

hydrocarbons:

Environmental effects: Spills may form a film on water surfaces causing

impaired oxygen transfer.

Water hazard class (German): WGK 1 (Classification by AwSV)

### **SECTION 13** Disposal considerations

### 13.1 Waste treatment methods

### Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 06\* Synthetic engine, gear and lubricating oils. Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils. Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30.06.2022 Date of issue: 10.07.2017 Page: 11/(13)

#### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

### **SECTION 14** Transport information

Land transport:

Road/Railway ADR/RID: Not classified. 14.1. UN number or ID number: Not classified. 14.2. UN proper shipping name: Not classified. 14.3. Transport hazard class(es): Not classified. 14.4. Packing group: Not classified. 14.5. Environmental hazards: Not classified. Special precautions for user: 14.6. Not classified.

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

# **SECTION 15** Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.

Seveso category: not classified.

15.2 Chemical safety assessment.

not available

#### **SECTION 16** Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.





Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30.06.2022 Date of issue: 10.07.2017 Page: 12/(13)

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Not classified.

The full text of each relevant H-phrase and Hazard classes and cat. in Section 3.:

H304 May be fatal if swallowed and enters airways

Asp. Tox. 1 Aspiration hazard Category 1.

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BOD Biological Oxygen Demand

Bw Body Weight

C&L Classification and Labelling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (1272/2008/EC)
CMR Carcinogenic, Mutagenic or toxic to Reproduction

COD Chamical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
Ecx Effective Concentration x%

ErC50 EC50 in terms of reduction of growth rate

Edx Effective Dose x% EC European Community

EC number European Community number

ELINCS European List of Notified Chemical Substances

ES Exposure Scenario

IARC International Agency for Research on Cancer
IATA International Air Transport Association
IMDG International Maritime Dangerous Goods

LCx Lethal Concentration x%

LDx Lethal Dose x%) Halálos dózis x%



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Snowmobile 2T synthetic 2-stroke motor oil

Version: 3 Latest revision: 30. 06. 2022 Date of issue: 10. 07. 2017 Page: 13/(13)

LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological
	materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

# **Revision Indicators:**

Section	Subject of change	Date	Version
9	Physical and chemical properties	01.09.2017	2
1-16	Revision modification according to 2020/878/EU Full revision due to composition change	30. 06. 2022	