



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5      Latest revision: 18. 06. 2015      Date of issue: 27. 08. 2008      Page: 1/(13)

## 1. Section Identification of the mixture and of the company/undertaking

### 1.1 Product identifier:

**MOL Farm JD tractor transmission and hydraulic oil**

### 1.2 Relevant identified uses of the mixture and uses advised against

Relevant identified uses: tractor transmission and hydraulic oil

Uses advised against: no data

### 1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

### 1.4 Emergency telephone number

Emergency telephone (07-15<sup>20</sup> h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 1 476 6464, or +36 80 201 199

National Health Toxicological Information Service:

## 2. Section Hazards identification

### 2.1 Classification of the mixture

Classification of the mixture according to regulation 1272/2008/EC

Hazard Class and Category:      Hazard statement:

-

-



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5      Latest revision: 18. 06. 2015      Date of issue: 27. 08. 2008      Page: 2/(13)

### 2.2 Label elements 1272/2008/EC

Product identification:      Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Hazardous components: -

GHS Pictogram:      -

Signal word:      -

Hazard statement:

-

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements – Prevention:

**P273**      Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501**      Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger:      Not required.

Transport classification: see section 14.

### 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.



# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5    Latest revision: 18. 06. 2015    Date of issue: 27. 08. 2008    Page: 3/(13)

## 3. Section      Composition/information on ingredients

### 3.2 Mixtures

Chemical description:      Mixture of refined mineral base oils containing, colorific and other additives.

Component(s) / Hazardous component(s):

| Name  | EU number | CAS number   | Hazard classes and cat.                          | Hazard statements    | Conc. % (m/m) |
|---|-----------|--------------|--|----------------------|---------------|
| Base oil – unspecified, hydrotreated heavy paraffinic, C20-C50*<br>REACH Registr. Nr.: 01-2119484627-25 | 265-157-1 | 64742-54-7   | -<br>(Note L)                                    | -                    | max. 95       |
| Lubricating oils (petroleum), C24-C50*<br>REACH Registr. Nr.: 01-2119489969-06                          | 309-877-7 | 101316-72-7  | Asp. Tox. 1<br>(Note L)                          | H304                 |               |
| Lubricating oils (petroleum), C18-C40*<br>REACH Registr. Nr.: 01-2119486987-11                          | 305-594-8 | 94733-15-0   | Asp.Tox.1<br>(Note L)                            | H304                 |               |
| Mineral oil raffinate*  |           | confidential | -<br>(Note L)                                    | -                    | max. 5        |
| Zinc alkyl dithiophosphate  | 272-028-3 | 68649-42-3   | Skin Irrit. 2<br>Eye Dam. 1<br>Aquatic Chronic 2 | H315<br>H318<br>H411 | max. 1.6      |

\*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5    Latest revision: 18. 06. 2015    Date of issue: 27. 08. 2008    Page: 4/(13)

### 4. Section First aid measures

#### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment need

Not required.

### 5. Section Fire-fighting measures

Fire hazards:  
Combustible.

#### 5.1 Extinguishing media

Suitable extinguishing media:  
Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:  
Water jet.

#### 5.2 Special hazards arising from the mixture

Hazardous combustion products:  
On burning, carbon dioxide, carbon monoxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5    Latest revision: 18. 06. 2015    Date of issue: 27. 08. 2008    Page: 5/(13)

### 5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

## 6. Section Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

### 6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil  
Notify relevant authority.

### 6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

### 6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

## 7. Section Handling and storage

### 7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants and flammable liquids.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5    Latest revision: 18. 06. 2015    Date of issue: 27. 08. 2008    Page: 6/(13)

### 7.2 Conditions for safe storage, including any incompatibilities

Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40°C

### 7.3 Specific end use(s)

Tractor transmission and hydraulic oil.

## 8. Section Exposure controls / personal protection

Engineering control measures:

Not required.

### 8.1 Control parameters:

**Mineral oil mist:**                      TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

### 8.2 Exposure controls

Personal protection:

Respiratory protection:              Breathing apparatus not required.

Hand protection:                      Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection:                        Protective goggles not required.

Skin protection:                        Protective clothing (oil resistant).

Other special:                            no data

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

## 9. Section Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:

Physical state:                            liquid

Colour:                                      green, clear

Odour:                                        characteristic





## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5      Latest revision: 18. 06. 2015      Date of issue: 27. 08. 2008      Page: 8/(13)

Acute toxicity: irritation

Skin: not irritant (based on components)

Eye: not irritant (based on components)

Note: Prolonged and/or repeated contact may cause irritation on skin depending on individual sensitivity.

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Germ cell mutagenicity: not known, resp. not mutagen (based on components)

Carcinogenicity: not known, resp. not carcinogen (based on components)

Reproductive toxicity: not known, resp. no reproduction-damaging effect (based on components)

STOT-single exposure: not known

STOT-repeated exposure: not known

Aspiration hazard: not known

## 12. Section Ecological information

12.1 Toxicity No data for the product.

Aquatic organisms:

Soil organisms:

Plants:

12.2 Persistence and degradability No data available.

Biodegradability: No data available.

12.3 Bioaccumulative potential No data available.

12.4 Mobility

Mobility in soil Absorbs in soil.

Mobility in water: Floats on water.





## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5    Latest revision: 18. 06. 2015    Date of issue: 27. 08. 2008    Page: 9/(13)

|      |  |  |
|------|--|--|
| 12.5 | Results of PBT and vPvB assessment           | Does not contain PBT and vPvB substances.                                  |
| 12.6 | Other adverse effects                        |  |
|      | Heavy metal content:                         | None.  |
|      | PCT, PCB and other chlorinated hydrocarbons: | None.  |
|      | Environmental effects:                       | Spills may form a film on water surfaces causing impaired oxygen transfer. |
|      | Water hazard class (German):                 | WGK 2 (Classification by VwVwS)  |

### 13. Section    Disposal considerations

#### 13.1 Waste treatment methods

##### Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

##### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

##### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5      Latest revision: 18. 06. 2015      Date of issue: 27. 08. 2008      Page: 10/(13)

### 14. Section      **Transport information**

Land transport:

|                                     |          |                 |
|-------------------------------------|----------|-----------------|
| Road/ Railway                       | ADR/RID: | Not classified. |
| 14.1. UN number:                    | -        |                 |
| 14.2. UN proper shipping name:      | -        |                 |
| 14.3. Transport hazard class(es):   | -        |                 |
| 14.4. Packing group:                | -        |                 |
| 14.5. Environmental hazards:        | -        |                 |
| 14.6. Special precautions for user: | -        |                 |

Waterways:

|                                 |              |                           |
|---------------------------------|--------------|---------------------------|
| Inland waterways/ Sea transport | ADN/IMDG:    | Not apply to the product. |
| Air transport:                  | ICAO / IATA: | Not apply to the product. |

### 15. Section      **Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

This safety data sheet has been prepared according to Regulation 2015/830/EC and to Regulation 1272/2008/EC.

15.2 Chemical safety assessment.

not available

### 16. Section      **Other information**

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5    Latest revision: 18. 06. 2015    Date of issue: 27. 08. 2008    Page: 11/(13)

Source of data presented in this material safety data sheet:

- Test results of this product
- Material safety data sheets of product's components
- Hungarian and EU lists of dangerous substances
- Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

- -

*The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:*

-

|                   |  |
|-------------------|--|
| H304              | May be fatal if swallowed and enters airways.            |
| H315              | Causes skin irritation.                                  |
| H318              | Causes serious eye damage.                               |
| H411              | Toxic to aquatic life with long lasting effects.         |
| Asp.Tox.1         | Aspiration hazard Category 1                             |
| Skin Irrit. 2     | Skin corrosion/irritation Category 2                     |
| Eye Dam. 1        | Serious eye damage/eye irritation Category 1             |
| Aquatic Chronic 2 | Hazardous to the aquatic environment, Chronic Category 2 |

Legend:

|     |   |
|-----|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE | Acute Toxicity Estimate   |
| BCF | Bioconcentration Factor   |
| BOD | Biological Oxygen Demand  |
| Bw  | Body Weight   |
| C&L | Classification and Labeling   |
| CAS | Chemical Abstracts Service  |
| CLP | Classification, Labelling and Packaging (1272/2008/EC)  |
| CMR | Carcinogenic, Mutagenic or toxic to Reproduction  |
| COD | Chemical Oxygen Demand  |



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5      Latest revision: 18. 06. 2015      Date of issue: 27. 08. 2008      Page: 12/(13)

|                 |   |
|-----------------|---|
| CSA             | Chemical Safety Assessment  |
| CSR             | Chemical Safety Report  |
| DMEL            | Derived Minimal Effect Level  |
| DNEL            | Derived No Effect Level   |
| ECHA            | European Chemicals Agency   |
| Ec <sub>x</sub> | Effective Concentration x%  |
| ErC50           | EC50 in terms of reduction of growth rate   |
| Ed <sub>x</sub> | Effective Dose x%   |
| EC              | European Community  |
| EC number       | European Community number   |
| ELINCS          | European List of Notified Chemical Substances   |
| ES              | Exposure Scenario   |
| ESIS            | European Chemical Substances Information System   |
| IARC            | International Agency for Research on Cancer   |
| IATA            | International Air Transport Association   |
| IMDG            | International Maritime Dangerous Goods  |
| LC <sub>x</sub> | Lethal Concentration x%   |
| LD <sub>x</sub> | Lethal Dose x%) Halálos dózis x%  |
| LOAEC           | Lowest Observed Adverse Effect Concentration  |
| LOAEL           | Lowest Observed Adverse Effect Level  |
| LOEC            | Lowest Observed Effect Concentration  |
| LOEL            | Lowest Observed Effect Level  |
| NOEC            | No observed effect concentration  |
| NOEL            | No observed effect level  |
| NLP             | No-Longer Polymer   |
| NOAEL           | No Observed Adverse Effect Level  |
| OECD            | Organisation for Economic Cooperation and Development   |
| PBT             | Persistent Bioaccumulative and Toxic  |
| PNEC            | Predicted No-Effect Concentration   |
| ppm             | parts/million   |
| REACH           | Registration, Evaluation, Authorisation and Restriction of Chemicals                            |
| RID             | Regulations concerning the International carriage of Dangerous Goods by Rail                    |
| SVHC            | Substance of Very High Concern  |
| UVCB            | substance of unknown or variable composition, complex reaction products or biological materials |
| VOC             | Volatile organic compounds  |
| vPvB            | Very Persistent and very Bio-accumulative   |



## SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm JD tractor transmission and hydraulic oil**

Version: 5      Latest revision: 18. 06. 2015      Date of issue: 27. 08. 2008      Page: 13/(13)

### Revision Indicators:

| Section                              | Subject of change  | Date       | Version |
|--------------------------------------|--|------------|---------|
| 3                                    | Composition / information on ingredients   | 02.07.2009 | 2       |
| 3<br>9<br>1-16                       | Composition/information on ingredients<br>Physical and chemical properties<br>Regulatory information, other corrections.<br>Revision modification according to 1272/2008/EC and 453/2010/EC                              | 22.11.2012 | 3       |
| 1<br>1-16                            | Name modification<br>Other corrections   | 11.02.2015 | 4       |
| 1<br>2<br>3<br>5<br>12<br>14<br>1-16 | Details of the supplier of the safety data sheet, Responsible for SDS<br>Other hazards<br>Composition/information on ingredients<br>Fire hazards<br>Ecological information<br>Transport information<br>Other corrections | 18.06.2015 | 5       |