



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Version: 5 Latest revision: 22. 10. 2019 Date of issue: 20. 01. 2014 Page: 1/(13)

SECTION 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

MOL Farm Protect E9 15W-40 multigrade diesel engine oil

1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: multigrade diesel motor oil

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Distribution and Service Ltd.

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Distribution and Service Ltd.

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

1.4 Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 80 201 199 (0-24 h, free number).

National Health Toxicological Information Service:

SECTION 2 Hazards identification

2.1 Classification of the mixture or substance

Hazard Class and Category: Hazard statement:

Not classified. -



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Version: 5 Latest revision: 22. 10. 2019 Date of issue: 20. 01. 2014 Page: 2/(13)

2.2 Label elements

Product identification: Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Hazardous components: -

GHS Pictogram: Not required.
Signal word: Not required.

Hazard statement:
Not required.

Supplemental hazard information:
EUH210 Safety data sheet available on request.

Precautionary statements – General: -

Precautionary statements – Prevention:
P273 Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:
P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.
Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Version: 5 Latest revision: 22. 10. 2019 Date of issue: 20. 01. 2014 Page: 3/(13)

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of base oils containing additives.

Component(s) / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Base oil – unspecified, hydrotreated heavy paraffinic, C20-C50* REACH Registr. Nr.: 01-2119484627-25	265-157-1	64742-54-7	- (Note L)	-	max. 80
Lubricating oils (petroleum), C24- C50* REACH Registr. Nr.: 01-2119489969-06	309-877-7	101316-72-7	- (Note L)	-	max. 7.0
Reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl) propionate REACH Registr. Nr.: 01-0000015551-76	406-040-9	125643-61-0	Aquatic Chronic 4	H413	max. 3.0
Zinc bis[O-(6- methylheptyl)] bis[O-(sec- butyl)] bis(dithiophosphate)** REACH Registr. Nr.: 01-2119543726-33	298-577-9	93819-94-4	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 1.5
Bis(nonylphenyl)amine REACH Registr. Nr.: 01-2119488911-28	253-249-4	36878-20-3	Aquatic Chronic 4	H413	max. 1.5
Molybdenum alkylthiocarbamide complex REACH Registr. Nr.: 01-0000019337-66	457-320-2	-	Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 3	H315 H317 H412	<0.1

*: with exposure limit

** Specific concentration limit: Eye Dam. 1; : 12.5 % < C ≤ 100 %
Skin Irrit. 2; : 6.25 % ≤ C ≤ 100 %; Eye Irrit. 2; : 10 % < C ≤ 12.5 %

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Version: 5 Latest revision: 22. 10. 2019 Date of issue: 20. 01. 2014 Page: 4/(13)

SECTION 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed

Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

4.3 Indication of any immediate medical attention and special treatment need

Not required.

SECTION 5 Fire-fighting measures

Fire hazards:

Combustible

5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Version: 5 Latest revision: 22. 10. 2019 Date of issue: 20. 01. 2014 Page: 5/(13)

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil

Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: All kind of ignition sources should be remove. Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid by pumping. Dispose of according to local regulations.

On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling

Keep general measures applied for normal operations with lubricants.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Version: 5 Latest revision: 22. 10. 2019 Date of issue: 20. 01. 2014 Page: 6/(13)

- 7.2 Conditions for safe storage, including any incompatibilities
Storage facilities must comply with regulations for storing of flammable liquids.
Store in dry, well ventilated place in original, closed containers.
Keep away from radiant heat, open flame and strong oxidizing agents.
Storage temperature: max. 40°C

- 7.3 Specific end use(s)
Multigrade diesel motor oil.

SECTION 8 Exposure controls / personal protection

Engineering control measures:

Not required.

- 8.1 Control parameters:

Mineral oil mist: TWA: **5 mg/m³**; STEL: 10 mg/m³, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

Molybdenum: 2000/39/EC and mod. -

- 8.2 Exposure controls

Personal protection:

Respiratory protection: Breathing apparatus not required.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection: Protective goggles, if splashes may occur (EN 166).

Skin protection: Protective clothing (oil resistant).

Other special: No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

SECTION 9 Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

Appearance:

Physical state:	liquid
Colour:	brown, clear
Odour:	characteristic



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Version: 5 Latest revision: 22. 10. 2019 Date of issue: 20. 01. 2014 Page: 8/(13)

Components:

Base oil – unspecified, hydrotreated heavy paraffinic

Oral:	LD ₅₀ (rat)	> 2000 mg/kg	OECD 401
Dermal:	LD ₅₀ (rabbit)	> 2000 mg/kg	OECD 402
Inhalation:	LC ₅₀ (rat)	> 5000 mg/m ³	OECD 403

Lubricating oils (petroleum), C24- C50

Oral:	LD ₅₀ (rat)	> 5000 mg/kg	
Dermal:	LD ₅₀ (rabbit)	> 2000 mg/kg	
Inhalation:	LC ₅₀ (rat)	> 5.53 mg/L	

Zinc bis[O-(6- methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):

Oral:	LD ₅₀ (rat)	2600 mg/kg	
Dermal:	LD ₅₀ (rabbit)	>3160 mg/kg	OECD 402
Inhalation:	LC ₅₀ (rat)	> 2.0 mg/L (1 h)	OECD 403

Acute toxicity: irritation

Skin:	not irritant (based on components)
Eye:	not irritant (based on components)

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

NOTE L: The base oil(s) contain(s) less than 3% DMSO extract (IP 346), therefore not classified as carcinogenic material according to 1272/2008/EC.

Germ cell mutagenicity:	not known, resp. not mutagen (based on components)
Carcinogenicity:	not known, resp. not carcinogen (based on components)
Reproductive toxicity:	not known, resp. no reproduction-damaging effect (based on components)
STOT-single exposure:	not classified
STOT-repeated exposure:	not classified
Aspiration hazard:	not classified

SECTION 12 Ecological information

12.1 Toxicity No data for the product.

Components:

Base oil – unspecified, hydrotreated heavy paraffinic:

Fishes:	>1000 mg/L	96 h (OECD 203)
Daphnia:	>100 mg/L	48 h (OECD 202)
Algae:	>100 mg/L	72 h (OECD 201)



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Version: 5 Latest revision: 22. 10. 2019 Date of issue: 20. 01. 2014 Page: 9/(13)

Lubricating oils (petroleum), C24 - C50:

Fishes:	LC ₅₀	> 100	mg/L
Daphnia:	EC ₅₀	> 100	mg/L
Other aquatic organisms:	EC ₅₀	> 100	mg/L
Other living beings:	TLM	>1	mg/L

Zinc bis[O-(6- methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate):

Fish (Oncorhynchus mykiss):	LC ₅₀	4.5	mg/L	96 h (OECD 203)
Daphnia (Daphnia magna):	EL ₅₀	5.4	mg/L	48 h (OECD 202)
Algae (Selenastrum capricornutum):	EbC ₅₀	2.1	mg/L	96 h (OECD 201)

Molybdenum alkylthiocarbamide complex:

Fish (Oncorhynchus mykiss):	NOEC	94.8	mg/L	96 h (OECD 203) semi-static test, analogy
Daphnia (Daphnia magna):	EL ₅₀	50	mg/L	48 h (OECD 202) static test
Daphnia (Daphnia magna):	NOEC	100	mg/L	21 days static test
Algae (Pseudokirchneriella subcapitata):	EbC ₅₀	9.62	mg/L	72 h (OECD 201) growth inhibition, analogy
Bacterium:	IC ₅₀	>100	mg/L	3 h respiratory inhibition

12.2 Persistence and degradability

Biodegradability: Hydrocarbons are inherently degradable.

Zinc bis[O-(6- methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate): 1.5% (10.0 mg/L; 28 days; OECD 301B)

12.3 Bioaccumulative potential

No data available.

12.4 Mobility

Mobility in soil: Absorbs in soil.

Mobility in water: Floats on water.

12.5 Results of PBT and vPvB assessment

Does not contain PBT and vPvB substances.

12.6 Other adverse effects

Heavy metal content: None.

PCT, PCB and other chlorinated hydrocarbons: None.

Environmental effects: Large spills may be hazardous to the environment.

Water hazard class (German): WGK 1 (Classification by VwVwS)



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Version: 5 Latest revision: 22. 10. 2019 Date of issue: 20. 01. 2014 Page: 11/(13)

SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture.
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment.
not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

- Test results of this product
- Material safety data sheets of product's components
- 1272/2008/EC regulation, Annex XVII. of REACH
- Relevant Hungarian and EU regulations

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Not classified. -

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

- | | |
|------|---|
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| H413 | May cause long lasting harmful effects to aquatic life. |



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Version: 5 Latest revision: 22. 10. 2019 Date of issue: 20. 01. 2014 Page: 12/(13)

Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1B	Respiratory/skin sensitization Category 1B
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, Chronic Category 3
Aquatic Chronic 4	Hazardous to the aquatic environment, Chronic Category 4

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec _x	Effective Concentration x%
ErC50	EC50 in terms of reduction of growth rate
Ed _x	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC _x	Lethal Concentration x%
LD _x	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Farm Protect E9 15W-40 multigrade diesel engine oil**

Version: 5 Latest revision: 22. 10. 2019 Date of issue: 20. 01. 2014 Page: 13/(13)

LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
1 3 9 1-16	Details of the supplier of the safety data sheet, Responsible for SDS Composition/information on ingredients Physical and chemical properties Other corrections, revision modification according to 2015/830 /EU	01.10.2015	2
2 3 1-16	Hazards identification Composition/information on ingredients Other corrections	20.09.2017	3
2, 2.2 3 8 9 11 1-16	Hazards identification. Label elements Composition/information on ingredients Exposure controls / personal protection Physical and chemical properties Toxicological information Other corrections	04.07.2018	4
2, 2.2 3 9 11 12	Hazards identification. Label elements. Composition/information on ingredients Physical and chemical properties Toxicological information Ecological information	22.10.2019	5