



Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 1/(13)

### **SECTION 1** Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

### MOL Farm Grease 2 MG lithium-base lubricating grease

1.2 Relevant identified uses of the <u>mixture</u> or substance and uses advised against

Relevant identified uses: lithium-base lubricating grease

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

**Customer Service Center** 

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15<sup>20</sup> h (CET)): +36 34 526 210

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 80 201 199 (0-24 h, free number).

National Health Toxicological Information Service:

#### **SECTION 2** Hazards identification

2.1 Classification of the <u>mixture</u> or substance

Hazard Class and Category: Hazard statement:

Eye Irrit 2 H319 Causes serious eye irritation.





Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 2/(13)

#### 2.2 Label elements

Product identification:

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Hazardous components:

Pictogram:

 $\bigcirc$ 

Signal word: Warning

Hazard statement:

**H319** Causes serious eye irritation.

Supplemental hazard information: -

Precautionary statements – General:

**P101** If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements – Prevention:

**P273** Avoid release to the environment.

**P280** Wear eye protection.

Precautionary statements – Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

#### 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.





Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 3/(13)

# **SECTION 3** Composition/information on ingredients

3.2 Mixtures

Chemical description: Mineral oil based consistent lubricant containing lithium soap,

additives and graphite.

Component / Hazardous component(s):

Name	EU	CAS	Hazard classes and	Hazard	Conc.
Name	number	number	cat.	statements	%(m/m)
Distillates (petroleum), solvent-dewaxed heavy paraffinic C20- C50*	265-169-7	64742-65-0	(Note L)	-	max. 70
REACH Registr. Nr.: 01-2119471299-27					
Lubricating oils (petroleum), C24- C50* REACH registration Nr.: 01-2119489969-06	309-877-7	101316-72-7	(Note L)	·	max. 70
Distillates (petroleum), hydrotreated heavy naphthenic REACH Registration Nr.: 01-2119467170-45	265-155-0	64742-52-5	(Note L)	-	max. 20
Lubricating oils (petroleum), C>25* REACH registration Nr.: 01-2119486948-13	309-874-0	101316-69-2	(Note L)	-	max. 20
Lubricating oils (petroleum), C18-40* REACH Registr. Nr: 01-2119486987-11	305-594-8	94733-15-0	(Note L)	-	max. 5
Zinc dialkyl dithiophosphate	272-028-3	68649-42-3	Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 1.5
Molybdenum disulfide	215-263-9	1317-33-5	-	-	max. 1.0

<sup>\*:</sup> with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 4/(13)

#### **SECTION 4** First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. In case of a complaint, get medical

attention.

Skin Remove contaminated clothing. Wash with plenty amount of water, using

contact: soap. In case of persistent irritation, get medical advice.

Eye contact: Flush eyes with large amounts of water for at least 15 minutes. Get medical

attention.

Ingestion: If swallowed, give drink salted lukewarm water. Induce vomiting. Get

medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

Prolonged and/or repeated contact may cause irritation on skin depending on individual sensitivity.

4.3 Indication of any immediate medical attention and special treatment need

Not required.

### **SECTION 5** Fire-fighting measures

Fire hazards:

Combustible.

5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, sulphur oxides, nitrogen oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.





Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 5/(13)

#### Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

#### SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

6.3 Methods and material for containment and cleaning up

On soil: Take up spilled product with shovel or scoop. Residuals should be cleaned

up with cloths and/or sawdust. Dispose of the collected material as

hazardous waste, according to local regulations.

On water: Confine the spillage. Remove from surface by skimming. Notify local

authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

# **SECTION 7** Handling and storage

7.1 Precautions for safe handling

General measures for handling lubricant greases should be observed.

Avoid splashing the product.

Avoid contact with skin and eyes.

Ensure washing facilities after working hours and before breaks.

Take off contaminated or oil-soaked clothing immediately, wash with warm water and soap.

After splashing floor may be slippery, use care to avoid falling, contain spills immediately.

When using do not eat, drink or smoke.

Handling temperature: not available



MOL

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 6/(13)

7.2 Conditions for safe storage, including any incompatibilities

Store in dry, well ventilated place in original, tightly closed containers.

Keep away from direct heat, ignition sources and strong oxidizing agents.

Recommended storage temperature: max. 45°C

7.3 Specific end use(s)

Lithium-base lubricating grease.

### **SECTION 8** Exposure controls / personal protection

Engineering control measures:

Not required.

8.1 Control parameters:

Mineral oil mist: TWA: 5 mg/m<sup>3</sup>; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour

excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

Molybdenum sulphide

WEL (Great Britain) Short-term value: 20 mg/m³ as Mo

Long-term value: 10 mg/m<sup>3</sup> as Mo

2000/39/EC and mod. -

8.2 Exposure controls

Personal protection:

(CAS: 1317-33-5):

Respiratory protection: Under normal conditions not required. In case of exceeded

exposure-limits respiratory protection with particle-filter is

recommended.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min)

(e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of

application should be observed.

Eye protection: Where splashing is possible, wear safety glasses (EN 166).

Skin protection: Protective clothing (oil resistant).

Other special: no data

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

# **SECTION 9** Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: consistent

Colour: black, homogenous

Odour: characteristic





Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 7/(13)

Change in physical state: The surface oil may be released during prolonged storage.

Dropping point (ISO 2176): typ. 200°C not available

Others:

Flash point (COC) (EN ISO 2592): > 200°C (base oil)
Ignition point (EN ISO 2592): not available
Autoignition temperature: not available
Explosive properties: not explosive
Oxidizing properties: not oxidize
Vapour pressure at 20°C: negligible
Density at 20°C: not available

Solubility in water: practically insoluble in water

Penetration after working – 60 c, at 25°C typ. 280

(0,1 mm) (ISO 2137):

n-Octanol/water partition coefficient: not available pH: not applicable

9.2 Other information

no data available

# **SECTION 10** Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous

reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources, open flames.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition No dangerous decomposition products are formed under normal

products: conditions. Hazardous combustion products: See Section 5.

### **SECTION 11 Toxicological information**

11.1 Information on toxicological effects

Acute toxicity:

Oral:  $LD_{50}$  (rat) > 2000 mg/kg (based on components) Dermal:  $LD_{50}$  (rabbit) > 2000 mg/kg (based on components)



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 8/(13)

Acute toxicity: irritation

Skin: not irritant (based on components)

Eye: irritant (based on components), causes serious eye irritation.

Respiratory or skin sensitisation: not sensitising (based on components)

Other information, specific effects:

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as

measured by IP 346.

Germ cell mutagenicity: not known, resp. not mutagen (based on components)

Carcinogenicity: not known, resp. not carcinogen (based on

components)

Reproductive toxicity: not known, resp. no reproduction-damaging effect

(based on components)

STOT-single exposure: not classified STOT-repeated exposure: not classified not classified not classified

### **SECTION 12** Ecological information

12.1 Toxicity No data available.

Aquatic organisms: Soil organisms:

Plants:

12.2 Persistence and degradability

Biodegradability: No data available.

12.3 Bioaccumulative potential No data available.

12.4 Mobility

Mobility in soil: Soil is not mobile.

Mobility in water: Floats on water. Does not form continuous layer.



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 9/(13)

12.5 Results of PBT and vPvB

assessment Does not contain PBT and vPvB substances.

12.6 Other adverse effects

Heavy metal content: None.

PCT, PCB and other chlorinated

hydrocarbons: None.

Environmental effects: Large spillages may be hazardous to the environment.

Water hazard class (German): WGK 1 (Classification by VwVwS)

### **SECTION 13 Disposal considerations**

#### 13.1 Waste treatment methods

#### Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 12 01 12\*

Spent waxes and fats.

Disposal must be in compliance with national and local regulations.

### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

#### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

#### **SECTION 14** Transport information

Land transport:

Road/ Railway ADR/RID: Not classified.





Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 10/(13)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards:

14.6. Special precautions for user:

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

### **SECTION 15** Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.

15.2 Chemical safety assessment.

Not available.

#### **SECTION 16** Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components 1272/2008/EC regulation, Annex XVII. of REACH

Relevant Hungarian regulation and EU directives





Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 11/(13)

Classification for mixtures and used evaluation method according to regulation (EC)

1207/2008 (CLP)

Eye Irrit 2 H319 (calculated)

The full text of each relevant Hazard classes and cat. and H-phrase in Section 3.:

H315 Causes skin irritation. H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

Skin Irrit. 2 Skin corrosion/irritation Category 2

Eye Dam. 1 Serious eye damage/eye irritation Category

Aquatic Chronic 2 Hazardous to the aquatic environment, Chronic Category 2

Legend:

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE Acute Toxicity Estimate
BCF Biocontrentration Factor
BOD Biological Oxygen Demand

Bw Body Weight

C&L Classification and Labeling CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (1272/2008/EC)
CMR Carcigonic, Mutagenic or toxic to Reproduction

COD Chamical Oxygen Demand
CSA Chemical Safety Assessment
CSR Chemical Safety Report
DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
ECHA European Cheamicals Agency
Ecx Effective Concentration x%

ErC50 EC50 in terms of reduction of growth rate

Edx Effective Dose x%
EC European Community
EC number European Community number

ELINCS European List of Notified Chemical Substances

ES Exposure Scenario



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 12/(13)

ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x%
LDx	Lethal Dose x%) Halálos dózis x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

# **Revision Indicators:**

Section	Subject of change	Date	Version
2	Hazards identification	01.08.2012	2
3	Composition/information on ingredients		
12	Ecological information		
1-16	Revision modification according to 453/2010/EC and 1272/2008/EC		
1	Details of the supplier of the safety data sheet, Responsible	02.07.2015	3
	for SDS		
2	Other hazards		
3	Composition/information on ingredients		
5	Fire hazards		
12	Ecological information		
14	Transport information		
1-16	Other corrections, revision modification according to		
	2015/830 /EC		





Trade name: MOL Farm Grease 2 MG lithium-base lubricating grease

Version: 6 Latest revision: 22. 03. 2018 Date of issue: 27. 08. 2008 Page: 13/(13)

Revision Indicators:				
Section	Subject of change	Date	Version	
1-16	Other corrections, revision modification	26. 04. 2016	4	
8	Exposure controls / personal protection	14. 11. 2016	5	
2	Label elements	22.03.2018	6	
3	Composition/information on ingredients			
1-16	Other corrections			