

# SAFETY DATA SHEET

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 1/(13)

## SECTION 1 Identification of the mixture/substance and of the company/undertaking

### 1.1 Product identifier:

**MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

### 1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: semi-synthetic automotive gear oil

Uses advised against: no data

### 1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Distribution and Service Ltd.

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Distribution and Service Ltd.

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

### 1.4 Emergency telephone number

Emergency telephone (07-15<sup>20</sup> h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: 36 80 201 199 (0-24 h, free number).

National Health Toxicological Information Service:

## SECTION 2 Hazards identification

### 2.1 Classification of the mixture or substance

Hazard Class and Category:      Hazard statement:

Not classified.

-

# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 2/(13)

## 2.2 Label elements

Product identification:      Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Hazardous component(s): -

GHS Pictogram:      Not required.

Signal word:      Not required.

Hazard statement:

**Not required.**

Supplemental hazard information:

**EUH208**      Contains Long-chain alkyl amine. May produce an allergic reaction.

Precautionary statements – General: -

Precautionary statements – Prevention:

**P273**      Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

**P501**      Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger:      Not required.

Transport classification: see section 14.

## 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 3/(13)

## SECTION 3 Composition/information on ingredients

### 3.2 Mixtures

Chemical description:      Mixture of refined mineral and synthetic oils containing additives.

Component(s) / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Base oil – unspecified, hydrotreated heavy paraffinic, C20-C50* REACH Registr. Nr.: 01-2119484622-25	265-157-1	64742-54-7	Asp.Tox.1 (Note L)	H304	max. 50
Base oil – unspecified, hydrotreated heavy paraffinic, C20-C50* REACH Registr. Nr.: 01-2119484622-25	265-157-1	64742-54-7	- (Note L)	-	max. 50
Base oil – unspecified, hydrotreated neutral oil-based, C20-C50*	276-738-4	72623-87-1	Asp.Tox.1 (Note L)	H304	max. 35
1-Decene Homopolymer, Hydrogenated REACH Registr. Nr.: 01-2119486452-34	500-183-1	68037-01-4	-	-	max. 35
Lubricating oils (petroleum), C>25* REACH Registr. Nr.: 01-2119486948-13	309-874-0	101316-69-2	- (Note L)	-	max. 10
Mineral oil raffinate*		confidential	- (Note L)		max. 5
Long-chain alkyl amine		confidential	Acute Tox. 4 Acute Tox. 3 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H302 H311 H317 H400 H410	max. 0.2
Long-chain alkenyl amine		confidential	Acute Tox. 4 Skin Corr. 1A Aquatic Acute 1	H302 H314 H400	max. 0.2

\*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 4/(13)

## SECTION 4 First aid measures

### 4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.

Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

### 4.2 Most important symptoms and effects, both acute and delayed

Prolonged and/or repeated contact may cause irritation on skin depending on individual sensitivity.

### 4.3 Indication of any immediate medical attention and special treatment need

Not required.

## SECTION 5 Fire-fighting measures

Fire hazards:

Combustible

### 5.1 Extinguishing media

Suitable extinguishing media:

Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:

Water jet.

### 5.2 Special hazards arising from the mixture or substance

Hazardous combustion products:

On burning, carbon monoxide, carbon dioxide, various hydrocarbons and soot can be formed.

### 5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations.

Further information:

-

# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 5/(13)

## SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures  
Personal precautions: see Section 8.
- 6.2 Environmental precautions:  
Confine spills to prevent material from entering sewers, watercourses, drains and into soil  
Notify relevant authority.
- 6.3 Methods and material for containment and cleaning up  
On soil: All kind of ignition sources should be remove. Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid by pumping. Dispose of according to local regulations.  
On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.
- 6.4 Reference to other sections  
Personal precautions: see section 8.  
Waste treatment methods: see section 13.

## SECTION 7 Handling and storage

- 7.1 Precautions for safe handling  
Keep general measures applied for normal operations with lubricants.  
Keep away from radiant heat and open flame.  
Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.  
Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.  
When using do not eat, drink or smoke. Avoid splashing the product.  
Handling temperature: not known
- 7.2 Conditions for safe storage, including any incompatibilities  
Storage facilities must comply with regulations for storing of flammable liquids.  
Store in dry, well ventilated place in original, closed containers.  
Keep away from radiant heat, open flame and strong oxidizing agents.  
Storage temperature: max. 40°C
- 7.3 Specific end use(s)  
Semi-synthetic automotive gear oil.

# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 6/(13)

## SECTION 8      Exposure controls / personal protection

Engineering control measures:

Not required.

### 8.1 Control parameters:

**Mineral oil mist:**      TWA: **5 mg/m<sup>3</sup>**; STEL: 10 mg/m<sup>3</sup>, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

### 8.2 Exposure controls

Personal protection:

Respiratory protection:      Breathing apparatus not required.

Hand protection:      Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection:      Protective goggles (EN 166).

Skin protection:      Protective clothing (oil resistant).

Other special:      No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

## SECTION 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance:

Physical state:      liquid  
Colour:      yellow, clear  
Odour:      characteristic

Change in physical state:

Pour point (ISO 3016):      typ. -42°C  
Boiling point (DIN 51356):      not available

Others:

Flash point (COC) (EN ISO 2592):      typ. 215°C  
Ignition point (EN ISO 2592):      not available  
Autoignition temperature:      not available  
Explosive properties:      not explosive  
Oxidizing properties:      not oxidize  
Vapour pressure at 20°C:      negligible

# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 7/(13)

Density at 15°C (EN ISO 12185):	0.800 - 0.880 g/cm <sup>3</sup>
Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n-Octanol/water partition coefficient:	not available
Vapour density:	not available
Kinematic viscosity at 40°C (EN ISO 3104):	typ. 109.3 mm <sup>2</sup> /s
Kinematic viscosity at 100°C (EN ISO 3104):	typ. 15.3 mm <sup>2</sup> /s
pH:	not applicable

9.2 Other information  
no data available

## SECTION 10 Stability and reactivity

10.1 Reactivity:	Dangerous reactivity not known.
10.2 Chemical stability:	No decomposition if stored and handled properly.
10.3 Possibility of hazardous reactions:	Not known
10.4 Conditions to avoid:	Direct heat or ignition sources.
10.5 Incompatible materials:	Strong oxidizing agents.
10.6 Hazardous decomposition products:	No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

## SECTION 11 Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity:

Oral:

Dermal:

Acute toxicity: irritation

Skin: not irritant (based on components)

Eye: not irritant (based on components), causes serious eye irritation.

Note: Prolonged and/or repeated contact may cause irritation on skin depending on individual sensitivity.

May cause dermatitis.

If vapours are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Respiratory or skin sensitisation: not sensitising (based on components)

# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 8/(13)

## Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

NOTE L: The base oil(s) contain(s) less than 3% DMSO extract (IP 346), therefore not classified as carcinogenic material according to 1272/2008/EC.

Germ cell mutagenicity:	not known, resp. not mutagen (based on components)
Carcinogenicity:	not known, resp. not carcinogen (based on components)
Reproductive toxicity:	not known, resp. no reproduction-damaging effect (based on components)
STOT-single exposure:	not classified
STOT-repeated exposure:	not classified
Aspiration hazard:	not classified

## SECTION 12 Ecological information

12.1 Toxicity	Not available.
Aquatic organisms:	
Soil organisms:	
Plants:	
12.2 Persistence and degradability	No data available.
Biodegradability:	No data available.
12.3 Bioaccumulative potential	No data available.
12.4 Mobility	
Mobility in soil:	Absorbs in soil.
Mobility in water:	Floats on water.
12.5 Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances.
12.6 Other adverse effects	
Heavy metal content:	None.
PCT, PCB and other chlorinated hydrocarbons:	None.
Environmental effects:	Spills may form a film on water surfaces causing impaired oxygen transfer.
Water hazard class (German):	WGK 1 (Classification by VwVwS)



# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 9/(13)

## SECTION 13 Disposal considerations

### 13.1 Waste treatment methods

#### Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 06\*

Synthetic engine, gear and lubricating oils.

Waste Identification Code: 13 02 05\*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

#### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

#### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

## SECTION 14 Transport information

#### Land transport:

Road/ Railway      ADR/RID:      Not classified.

- |       |                               |   |
|-------|-------------------------------|---|
| 14.1. | UN number:                    | - |
| 14.2. | UN proper shipping name:      | - |
| 14.3. | Transport hazard class(es):   | - |
| 14.4. | Packing group:                | - |
| 14.5. | Environmental hazards:        | - |
| 14.6. | Special precautions for user: | - |

#### Waterways:

Inland waterways/ Sea transport      ADN/IMDG:      Not apply to the product.

Air transport:      ICAO / IATA:      Not apply to the product.

# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 10/(13)

## SECTION 15      Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.

15.2 Chemical safety assessment.

not available

## SECTION 16      Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

Hungarian and EU lists of dangerous substances

Relevant Hungarian regulation and EU directives

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

Not classified.      -

# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 11/(13)

*The full text of each relevant Hazard classes and cat., H- phrase in Section 3.:*

H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Acute Tox. 4	Acute toxicity Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Acute Tox. 3	Acute toxicity Category 3
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Sens. 1	Respiratory/skin sensitization 1 Category
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category
Aquatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1

## Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec <sub>x</sub>	Effective Concentration x%
Ed <sub>x</sub>	Effective Dose x%

# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 12/(13)

ELINCS	European List of Notified Chemical Substances
ErC50	EC50 in terms of reduction of growth rate;
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x%
LDx	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

## Revision Indicators:

Section	Subject of change	Date	Version
1-16	Other correction	21.01.2009	2
2	Hazards identification	28.10.2009	3
3	Composition / information on ingredients		
5	Fire-fighting measures		
7	Handling and storage		
9	Physical and chemical properties		
10	Stability and reactivity		
12	Ecological information		
15	Regulatory information		
16.	The full text of each relevant R phrase in Section 3.		
	Other corrections		

# SAFETY DATA SHEET



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

**MOL-LUB Ltd.**

Trade name: **MOL Hykomol Synt 75W-90 semi-synthetic automotive gear oil**

Version: 8      Latest revision: 10. 11. 2017      Date of issue: 20. 06. 2007      Page: 13/(13)

## Revision Indicators:

Section	Subject of change	Date	Version
3	Composition / information on ingredients	24.03.2010	4
3	Composition/information on ingredients	30.11.2012	5
9	Physical and chemical properties		
1-16	Revision modification according to 1272/2008/EC and 453/2010/EC		
3.	Composition/information on ingredients	07.11.2014	6
1-16.	Regulatory References		
1	Details of the supplier of the safety data sheet, Responsible for SDS	15.04.2015	7
2	Other hazards		
5	Fire hazards		
14	Transport information		
1-16	Other corrections		
3	Composition/information on ingredients	15.11.2016	K8
9	Physical and chemical properties		
1-16	Other corrections, Revision modification		
3	Composition/information on ingredients	10.11.2017	8
9	Physical and chemical properties		
1-16	Other corrections, Revision modification		